



| | | | |
|--|---|--|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) |  | U.S. Department of Commerce Patent and Trademark Office | 10500480 GAU: 1651 Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 Applicant: Freeze <i>et al.</i> Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | |

| U.S. PATENT DOCUMENTS | | | | | | | |
|---|----------|--|------------------|-------------------------|-------|----------|--------------------------|
| Examiner Initials | Cite No. | Document Number | Publication Date | Applicant / Patentee | Class | Subclass | Filing Date |
| /S.M./ | 1 | 4,946,778 | 8/7/90 | Ladner <i>et al.</i> | | | |
| | 2 | 4,683,195 | 7/28/87 | Mullis <i>et al.</i> | | | |
| | 3 | 4,683,202 | 7/28/87 | Mullis | | | |
| | 4 | 4,965,188 | 10/23/90 | Mullis <i>et al.</i> | | | |
| | 5 | 5,449,781 | 9/12/95 | Varki <i>et al.</i> | | | |
| | 6 | 5,760,029 | 6/2/98 | Jadhav <i>et al.</i> | | | |
| | 7 | 6,409,990 | 6/25/02 | Vera | | | |
| | 8 | 5,270,163 | 12/14/93 | Gold <i>et al.</i> | | | |
| | 9 | 4,946,778 | 8/7/90 | Ladner <i>et al.</i> | | | |
| | 10 | 4,331,647 | 5/25/82 | Goldenberg | | | |
| | 11 | 5,738,996 | 4/1998 | Hodges <i>et al.</i> | | | |
| /S.M./ | 12 | 5,449,781 | 9/12/95 | Varki <i>et al.</i> | | | |
| FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS | | | | | | | |
| | | Document Number | Publication Date | Country / Patent Office | Class | Subclass | Translation Yes No |
| /S.M./ | 13 | WO 90/13678 | 11/15/90 | PCT | | | |
| /S.M./ | 14 | WO 91/11465 | 10/4/90 | PCT | | | |
| /S.M./ | 15 | WO 92/08981 | 5/29/92 | PCT | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | | | | |
| /S.M./ | 16 | Abraham <i>et al.</i> (2000) "Cutting Edge: HMG-1 as a Mediator of Acute Lung Inflammation," J. Immunol. 165:2950-2954 | | | | | |
| /S.M./ | 17 | Allridge <i>et al.</i> (1999) "The Annexin Protein Lipocortin 1 Regulates the MAPK/ERK Pathway," J. Biol. Chem. 274:37620 | | | | | |
| /S.M./ | 18 | Altmann <i>et al.</i> (1995) "Kinetic comparison of peptide: N-glycosidases F and A reveals several differences in substrate specificity," Glycoconjugate J. 12:84 | | | | | |
| /S.M./ | 19 | Arcone <i>et al.</i> (1993) "Structural characterization of a biologically active human lipocortin 1 expressed in <i>Escherichia coli</i> ," Eur. J. Biochem. 211(1-2):347-355 | | | | | |
| /S.M./ | 20 | Baenziger (1996) "Editorial: Glycosylation: To What End for the Glycoprotein Hormones?" Endocrinol. 137:1520 | | | | | |
| /S.M./ | 21 | Baidoo <i>et al.</i> (1990) "Synthesis of a Diaminedithiol Bifunctional Chelating Agent for Incorporation of Technetium-99m into Biomolecules," Bioconjugate Chem. 1:132-137 | | | | | |
| /S.M./ | 22 | Bernfield <i>et al.</i> (1999) "Functions of Cell Surface Heparan Sulfate Proteoglycans," Ann. Rev. Biochem. 68:729-777 | | | | | |
| /S.M./ | 23 | Bird <i>et al.</i> (1988) "Single-Chain Antigen-Binding Proteins," Science 242:423 | | | | | |
| /S.M./ | 24 | Blondelle <i>et al.</i> (1995) "Soluble combinatorial libraries of organic, peptidomimetic and peptide diversities," Trends Anal. Chem. 14:83-92 | | | | | |
| /S.M./ | 25 | Bogen <i>et al.</i> (1994) "Monoclonal Antibody to Murine PECAM-1 (CD31) Blocks Acute Inflammation In Vivo," J. Exp. Med. 179:1059 | | | | | |
| /S.M./ | 26 | Brett <i>et al.</i> (1993) "Survey of the Distribution of a Newly Characterized Receptor for Advanced Glycation End Products in Tissues," Am. J. Pathol. 143:1699-1712 | | | | | |

| | |
|---|------------------|
| Examiner: | Date Considered: |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./

| | | |
|--|---|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) |  | 10500480 - GAU-1651 |
| U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Freeze <i>et al.</i> |
| 37 CFR § 1.98(b) | | Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |


| | | |
|--------|----|--|
| /S.M./ | 27 | Brun <i>et al.</i> (1994) "Measurement of Plasma Calprotectin as an Indicator of Arthritis and Disease Activity in Patients with Inflammatory Rheumatic Diseases," J. Rheumatol. 21:733 |
| /S.M./ | 28 | Butcher (1991) "Leukocyte-Endothelial Cell Recognition: Three (or More) Steps to Specificity and Diversity," Cell 67:1033 |
| /S.M./ | 29 | Carter <i>et al.</i> (1992) "Humanization of an anti-p185 ^{HER2} antibody for human cancer therapy," Proc. Nat'l Acad. Sci. USA 89:4285 |
| /S.M./ | 30 | Cawson <i>et al.</i> in <i>Pathologic Mechanisms and Human Disease</i> , C.V. Mosby Co., St. Louis, MO, 1982, pages 46-65 |
| /S.M./ | 31 | Chen <i>et al.</i> (2002) "New Technology for Depp Light Distribution in Tissue for Phototherapy," Cancer J. 8:154-63 |
| /S.M./ | 32 | Chou <i>et al.</i> (2001) "Identity of nuclear high-mobility-group protein, HMG-1, and sulfoglucuronyl carbohydrate-binding protein, SBP-1, in brain," J. Neurochem. 77:120-131 |
| /S.M./ | 33 | Chuah and Pallen (1989) "Calcium-dependent and Phosphorylation-stimulated Proteolysis of Lipocortin I by an Endogenous A431 Cell Membrane Protease," J. Biol. Chem. 264:21160 |
| /S.M./ | 34 | Cines <i>et al.</i> (1998) "Endothelial Cells in Physiology and in the Pathophysiology of Vascular Disorders," Blood 91:3527 |
| /S.M./ | 35 | de Kruif <i>et al.</i> (1996) "Biosynthetically lipid-modified human scFv fragments from phage display libraries as targeting molecules for immunoliposomes," FEBS Lett. 399:232-236 |
| /S.M./ | 36 | De <i>et al.</i> (1986) "A Calcium-dependent 35-Kilodalton Substrate for Epidermal Growth Factor Receptor/Kinase Isolated from Normal Tissue," J. Biol. Chem. 261:13784-13792 |
| /S.M./ | 37 | Demetriou <i>et al.</i> (2001) "Negative regulation of T-cell activation and autoimmunity by <i>Mgat5</i> N-glycosylation," Nature 409:733-739 |
| /S.M./ | 38 | Ding <i>et al.</i> (1995) "Synthesis and Biological Activity of Oligosaccharide Libraries," Adv. Expt. Med. Biol. 376:261-269 |
| /S.M./ | 39 | Ecker and Crook (1995) "Combinatorial Drug Discovery: Which Methods will Produce the Greatest Value?" Bio/Technology 13:351-360 |
| /S.M./ | 40 | Edgeworth <i>et al.</i> (1991) "Identification of p8,14 as a Highly Abundant Heterodimeric Calcium Binding Protein Complex of Myeloid Cells," J. Biol. Chem. 266:7706 |
| /S.M./ | 41 | Ellies <i>et al.</i> (1998) "Core 2 Oligosaccharide Biosynthesis Distinguishes between Selectin Ligands Essential for Leukocyte Homing and Inflammation," Immun. 9:881-890 |
| /S.M./ | 42 | Engert <i>et al.</i> (1997) "A Phase-I Study of an Anti-CD25 Ricin A-Chain Immunotoxin (RFT5-SMPT-dgA) in Patients with Refractory Hodgkin's Lymphoma," Blood 89:403-10 |
| /S.M./ | 43 | Etchison <i>et al.</i> (1995) "A Novel Method to Co-localize Glycosaminoglycan-Core Oligosaccharide Glycosyltransferases in Rat Liver Golgi," J. Biol. Chem. 270:756-764 |
| /S.M./ | 44 | Euzger <i>et al.</i> (1999) "Differential modulation of annexin I binding sites on monocytes and neutrophils," Mediators of Inflamm. 8:53 |
| /S.M./ | 45 | Fages <i>et al.</i> (2000) "Regulation of cell migration by amphoterin," J. Cell Sci. 113:611-620 |
| /S.M./ | 46 | Flower and Rothwell (1994) "Lipocortin-1: cellular mechanisms and clinical relevance," Trends Pharmacol. Sci. 15:71 |
| /S.M./ | 47 | Fritzberg <i>et al.</i> (1986) "Synthesis and Biologic Evaluation of Technetium-99m MAG ₃ as a Hippuran Replacement," J. Nucl. Med. 27:111-116 |
| /S.M./ | 48 | Fukuda <i>et al.</i> (1999) "C-Type Lectins and Sialyl Lewis X Oligosaccharides: Versatile Roles in Cell-Cell Interaction," J. Cell. Biol. 147:467-470 |
| /S.M./ | 49 | Gordon <i>et al.</i> (1994) "Applications of Combinatorial Technologies to Drug Discovery. 2. Combinatorial Organic Synthesis, Library Screening Strategies, and Future Directions," J. Med. Chem. 37:1385-1401 |
| /S.M./ | 50 | Goulding <i>et al.</i> (1996) "Evidence for specific annexin L-binding proteins on human monocytes," Biochem. J. 316:593-597 |
| /S.M./ | 51 | Goulding <i>et al.</i> (1998) "Novel pathways for glucocorticoid effects on neutrophils in chronic inflammation," Inflamm. Res. 47:S158-165 |
| /S.M./ | 52 | Green <i>et al.</i> (1994) "Antigen-specific human monoclonal antibodies from mice engineered with human Ig heavy and light chain YACs," Nature Genet. 7:13 |
| /S.M./ | 53 | Guhlke <i>et al.</i> (1998) " ¹⁸⁸ Re- and ^{99m} Tc-Mag ₃ as Prosthetic Groups for Labeling Amines and Peptides" Approaches with Pre- and Postconjugate Labeling," Nucl. Med. Biol. 25:621-631 |
| /S.M./ | 54 | Hakomori <i>et al.</i> (1998) "Signal Transduction through Glyco(sphingo)lipids," Ann. N.Y. Acad. Sci. 845:1-10 |
| /S.M./ | 55 | Hakomori (1989) "Tumor-Associated Glycolipid Antigens, Their Metabolism and Organization," Chem. Phys. Lipids 42:209-233 |
| /S.M./ | 56 | Hall <i>et al.</i> (1993) "Mass spectrometric and Edman sequencing of lipocortin I isolated by two-dimensional SDS/PAGE of human melanoma lysates," Proc. Natl. Acad. Sci. USA 90:1927 |

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./

| | | |
|--|---|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) |  APR 14 2008 | 10500480 GAU: 1651 |
| U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Freeze <i>et al.</i> |
| (37 CFR § 1.98(b)) | | Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |

| | | |
|--------|----|--|
| /S.M./ | 57 | Hendrix <i>et al.</i> (2002) "Radioimmunotherapy for Non-Hodgkin's Lymphoma with Yttrium 90 Ibritumomab Tiuxetan," J. Oncol. Nurs. 6:144-148 |
| /S.M./ | 58 | Hennet <i>et al.</i> (1998) "Immune regulation by the ST6Gal sialyltransferase," Proc. Natl. Acad. Sci. USA 95:4504-4509 |
| /S.M./ | 59 | Hofmann <i>et al.</i> (1999) "RAGE Mediates a Novel Proinflammatory Axis: A Central Cell Surface Receptor for S100/Calgranulin Polypeptides," Cell 97:889-901 |
| /S.M./ | 60 | Hogg <i>et al.</i> (1989) "Monoclonal antibody 5.5 reacts with p8,14, a myeloid molecule associated with some vascular endothelium," Eur. J. Immunol. 19:1053 |
| /S.M./ | 61 | Hori <i>et al.</i> (1995) "The Receptor for Advanced Glycation End Products (RAGE) is a Cellular Binding Site for Amphoterin," J. Biol. Chem. 270:25752-25761 |
| /S.M./ | 62 | Hughes (1999) "Secretion of the galectin family of mammalian carbohydrate-binding proteins," Biochim. Biophys. Acta 1473:172-185 |
| /S.M./ | 63 | Huttunen <i>et al.</i> (1999) "Receptor for Advanced Glycation End Products (RAGE)-mediated Neurite Outgrowth and Activation of NF- κ B Require the Cytoplasmic Domain of the Receptor but Different Downstream Signaling Pathways," J. Biol. Chem. 274:19919-19924 |
| /S.M./ | 64 | Huttunen <i>et al.</i> (1999) "Coregulation of Neurite Outgrowth and Cell Survival by Amphoterin and S100 Proteins through Receptor for Advanced Glycation End Products (RAGE) Activation," J. Biol. Chem. 275:40096-40105 |
| /S.M./ | 65 | Hyatt <i>et al.</i> (1994) "Identification and Characterization of α -Protein Kinase C Binding Proteins in Normal and Transformed REF52 Cells," Biochemistry 33:1223-1228 |
| /S.M./ | 66 | Inbar <i>et al.</i> (1972) "Localization of Antibody-Combining Sites within the Variable Portions of Heavy and Light Chains," Proc. Nat'l Acad. Sci. USA 69:2659 |
| /S.M./ | 67 | Jones <i>et al.</i> (1986) "Replacing the complementarity-determining regions in a human antibody with those from a mouse," Nature 321:522-524 |
| /S.M./ | 68 | Kamal <i>et al.</i> (2001) "An annexin 1 (ANXA1)-derived peptide inhibits prototype antigen-driven human T cell Th1 and Th2 responses <i>in vitro</i> ," Clin. Exp. Allergy 31:1116-1125 |
| /S.M./ | 69 | Kansas (1996) "Selectins and Their Ligands: Current Concepts and Controversies," Blood 88:3259 |
| /S.M./ | 70 | Karaoglu <i>et al.</i> (1995) "Functional Characterization of Ost3p. Loss of the 34-kD Subunit of the <i>Saccharomyces cerevisiae</i> Oligosaccharyltransferase Results in Biased Underglycosylation of Acceptor Substrates," J. Cell Biol. 130:567-577 |
| /S.M./ | 71 | Kerkhoff <i>et al.</i> (1998) "Novel insights into structure and function of MRP8 (S100A8) and MRP14 (S100A9)," Biochim. Biophys. Acta 1448:200-211 |
| /S.M./ | 72 | Kerkoff <i>et al.</i> (1999) "The Two Calcium-binding Proteins, S100A8 and S100A9, are Involved in the Metabolism of Arachidonic acid in Human Neutrophils," J. Biol. Chem. 274:32672 |
| /S.M./ | 73 | Kerkoff <i>et al.</i> (1999) "The Regulatory Role of MRP8 (S100A8) and MRP14 (S100A9) in the Transendothelial Migration of Human Leukocytes," Pathobiol. 67:230 |
| /S.M./ | 74 | Kislinger <i>et al.</i> (1999) "N ^ε -(Carboxymethyl)Lysine Adducts of Proteins are Ligands for Receptor for Advanced Glycation End Products that Activate Cell Signaling Pathways and Modulate Gene Expression," J. Biol. Chem. 274:31740-31749 |
| /S.M./ | 75 | Klemp <i>et al.</i> (1997) "The heterodimer of the CA2+-binding proteins MRP8 and MRP14 binds arachidonic acid," FEBS Lett. 408:81 |
| /S.M./ | 76 | Koike <i>et al.</i> (1998) "Intracellular Localization of Migration Inhibitory Factor-Related Protein (MRP) and Detection of Cell Surface MRP Binding Sites on Human Leukemia Cell Lines," J. Biochem. 123:1079 |
| /S.M./ | 77 | Koivunen <i>et al.</i> (1994) "Isolation of a Highly Specific Ligand for the $\alpha_5\beta_1$ Integrin from a Phage Display Library," J. Cell Biol. 124:373-380 |
| /S.M./ | 78 | Kornfeld (1990) "Lysosomal enzyme targeting," Biochem. Soc. Trans. 18:367-374 |
| /S.M./ | 79 | Krause <i>et al.</i> (1996) "Ytterbium- and Dysprosium-EOB-DTPA," Invest. Radiol. 31:502-511 |
| /S.M./ | 80 | Krejcacek <i>et al.</i> (1977) "Covalent Attachment of Chelating Groups to Macromolecules," Biochem. Biophys. Res. Comm. 77:581-585 |
| /S.M./ | 81 | Lagasse and Clerc (1988) "Cloning and Expression of Two Human Genes Encoding Calcium-Binding Proteins that are Regulated During Myeloid Differentiation," Mol. Cell. Biol. 9:2402-2410 |
| /S.M./ | 82 | Lagasse and Weissman (1992) "Mouse MRP8 and MRP14, Two Intracellular Calcium-Binding Proteins Associated with the Development of the Myeloid Lineage," Blood 79:1907-1915 |
| /S.M./ | 83 | Leung <i>et al.</i> (1995) "Construction and Characterization of a Humanized, Internalizing, B-Cell (CD22)-Specific, Leukemia/Lymphoma Antibody, LL2," Mol. Immunol. 32:1413-1427 |
| /S.M./ | 84 | Leung <i>et al.</i> (1994) "Chimerization of LL2, a Rapidly Internalizing Antibody Specific for B Cell Lymphoma," Hybridoma 13:469 |

| | |
|---|------------------|
| Examiner: | Date Considered: |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |


ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./

| | | |
|--|---|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) |  | 10500480 - GAU: 1651 |
| U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Freeze <i>et al.</i> |
| (37 CFR § 1.98(b)) | | Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |

| | | |
|--------|-----|---|
| /S.M./ | 85 | Liang <i>et al.</i> (1996) "Parallel Synthesis and Screening of a Solid Phase Carbohydrate Library," Science 274:1520-1522 |
| | 86 | Lim <i>et al.</i> (1998) "Promoting detachment of neutrophils adherent to murine postcapillary venules to control inflammation: Effect of lipocortin 1," Proc. Natl. Acad. Sci. USA 95:14535 |
| | 87 | Liu <i>et al.</i> (1996) "Eradication of large colon tumor xenografts by targeted delivery of maytansinoids," Proc. Nat'l Acad. Sci. USA 93:8618-23 |
| | 88 | Lonberg <i>et al.</i> (1994) "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," Nature 368:856 |
| | 89 | Losman <i>et al.</i> (1990) "Baboon Anti-Idiotypic Antibodies Mimic a Carcinoembryonic Antigen Epitope," Int. J. Cancer 46:310 |
| | 90 | Lowe and Ward (1997) "Therapeutic Inhibition of Carbohydrate-Protein Interactions In Vivo," J. Clin. Invest. 99:822 |
| | 91 | Mahnke <i>et al.</i> (1995) "Heterodimers of the calcium-binding proteins MRP8 and MRP14 are expressed on the surface of human monocytes upon adherence to fibronectin and collagen. Relation to TNF- α , IL-6, and superoxide production," J. Leukoc. Biol. 57:63-71 |
| | 92 | Mailliard <i>et al.</i> (1996) "Calcium-dependent Binding of S100C to the N-terminal Domain of Annexin I," J. Biol. Chem. 271:719 |
| | 93 | Malherbe <i>et al.</i> (1999) "cDNA cloning of a novel secreted isoform of the human receptor for advanced glycation end products and characterization of cells co-expressing cell-surface scavenger receptors and Swedish mutant amyloid precursor protein," Brain Res. - Mol. Brain Res. 71:157-170 |
| | 94 | Matsuda and Kabat (1989) "Variable Region cDNA Sequences and Antigen Binding Specificity of Mouse Monoclonal Antibodies to Isomaltosyl Oligosaccharides Coupled to Proteins," J. Immunol. 142:863-870 |
| | 95 | Mattrey <i>et al.</i> (1990) "In Vivo Estimation of Perfluorooctylbromide Concentration in Tissues," Invest. Radiol. 25:915-921 |
| | 96 | McEver and Cummings (1997) "Role of PSGL-1 Binding to Selectins in Leukocyte Recruitment," J. Clin. Invest. 100:485 |
| | 97 | Mehta <i>et al.</i> (1996) "A Lysosomal Cysteine Proteinase from <i>Dictyostelium discoideum</i> Contains N-Acetylglucosamin-1-phosphate Bound to Serine but Not Mannose-6-phosphate on N-linked Oligosaccharides," J. Biol. Chem. 271:10897 |
| | 98 | Melloni <i>et al.</i> (1995) "Identity in Molecular Structure between 'Differentiation Enhancing Factor' of Murine Erythroleukemia Cells and the 30 kD Heparin-Binding Protein of Developing Rat Brain," Biochem. Biophys. Res. Commun. 210:82-89 |
| | 99 | Melloni <i>et al.</i> (1995) "Extracellular release of the 'differentiation enhancing factor', a HMGI protein type, is an early step in murine erythroleukemia cell differentiation," FEBS Lett. 368:466-470 |
| | 100 | Merenmies <i>et al.</i> (1991) "30-kDa Heparin-binding Protein of Brain (Amphoterin) Involved in Neurite Outgrowth," J. Biol. Chem. 266:16722-16729 |
| | 101 | Meusch <i>et al.</i> (1990) "A novel pathway for secretory proteins?" Trends Biochem. Sci. 15:86-88 |
| | 102 | Milev <i>et al.</i> (1998) "High Affinity Binding and Overlapping Localization of Neurocan and Phosphacan/Protein-tyrosine Phosphatase- ζ/β with Tenascin-R, Amphoterin, and the Heparin-binding Growth-associated Molecule," J. Biol. Chem. 273:6998-7005 |
| | 103 | Miura <i>et al.</i> (2001) "Carbohydrate-protein interactions between HNK-1-reactive sulfoglucuronyl glycolipids and the proteoglycan lectin domain mediate neuronal cell adhesion and neurite outgrowth," J. Neurochem. 76:413-424 |
| | 104 | Moloney <i>et al.</i> (2000) "Fringe is a glycosyltransferase that modifies Notch," Nature 406:369-375 |
| | 105 | Nair and Jungalwala (1997) "Characterization of a Sulfoglucuronyl Carbohydrate Binding Protein in the Developing Nervous System," J. Neurochem. 68:1286-1297 |
| | 106 | Nakayama <i>et al.</i> (1998) "Polysialic acid, a unique glycan that is developmentally regulated by two polysialyltransferases, PST and STX, in the central nervous system: From biosynthesis to function," Pathol. Int. 48:665-677 |
| | 107 | Neeper <i>et al.</i> (1992) "Cloning and Expression of a Cell Surface Receptor for Advanced Glycosylation End Products of Proteins," J. Biol. Chem. 267:14998-15004 |
| | 108 | Newman (1997) "The Biology of PECAM-1," J. Clin. Invest. 99:3 |
| | 109 | Newton and Hogg (1998) "The Human S100 Protein MRP-14 is a Novel Activator of the β_2 Integrin Mac-1 on Neutrophils," J. Immunol. 160:1427-1435 |
| | 110 | Nisonoff <i>et al.</i> (1960) "Separation of Univalent Fragments from the Bivalent Rabbit Antibody Molecule by Reduction of Disulfide Bonds," Arch Biochem. Biophys. 89:230-244 |
| V | 111 | Norgard-Sumnicht <i>et al.</i> (1995) "Unusual Anionic N-Linked Oligosaccharides from Bovine Lung," J. Biol. Chem. 270:27634-27645 |
| /S.M./ | 112 | Odink <i>et al.</i> (1987) "Two calcium-binding proteins in infiltrate macrophages of rheumatoid arthritis," Nature 330:80-82 |

| | |
|---|------------------|
| Examiner: | Date Considered: |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./

| | | |
|--|---|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) |  | 10500480 - GAU: 1651 |
| U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Freeze <i>et al.</i> |
| (37 CFR § 1.98(b)) | | Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |

| | | |
|--------|-----|--|
| /S.M./ | 113 | Ong <i>et al.</i> (1998) "Expression Cloning of a Human Sulfotransferase that Directs the Synthesis of the HNK-1 Glycan on the Neural Cell Adhesion Molecule and Glycolipids," J. Biol. Chem. 273:5190-5195 |
| | 114 | Orlandi <i>et al.</i> (1989) "Cloning immunoglobulin variable domains for expression by the polymerase chain reaction," Proc. Nat'l Acad. Sci. USA 86:3833 |
| | 115 | Pack <i>et al.</i> (1993) "Improved Bivalent Miniantibodies, with Identical Avidity as Whole Antibodies, Produced by High Cell Density Fermentation of <i>Escherichia coli</i> ," Bio/Technology 11:1271-1277 |
| | 116 | Parkkinen <i>et al.</i> (1993) "Amphoterin, the 30-kDa Protein in a Family of HMG1-type Polypeptides," J. Biol. Chem. 268:19726-19738 |
| | 117 | Perretti <i>et al.</i> (1996) "Mobilizing lipocortin 1 in adherent human leukocytes downregulates their transmigration," Nature Med. 2:1259-1262 |
| | 118 | Perretti (1997) "Lipocortin 1 and Chemokine Modulation of Granulocyte and Monocyte Accumulation in Experimental Inflammation," Gen. Pharm. 31:545-552 |
| | 119 | Perretti (1997) "Endogenous mediators that inhibit the leukocyte-endothelium interaction," Trends Pharmacol. Sci. 18:418-425 |
| | 120 | Porter (1959) "The Hydrolysis of Rabbit γ -Globulin and Antibodies with Crystalline Papain," Biochem. J. 73:119-127 |
| | 121 | Priatel <i>et al.</i> (2000) "The ST3Gal-I Sialyltransferase Controls CD8 ⁺ T Lymphocyte Homeostasis by Modulating O-Glycan Biosynthesis," Immunity 12:273-283 |
| | 122 | Propper <i>et al.</i> (1999) "Analysis of the MRP8-MRP14 Protein-Protein Interaction by the Two-hybrid System Suggests a Prominent Role of the C-terminal Domain of S100 Proteins in Dimer Formation," J. Biol. Chem. 274:183 |
| | 123 | Rammes <i>et al.</i> (1997) "Myeloid-related Protein (MRP) 8 and MRP14, Calcium-binding Proteins of the S100 Family, are Secreted by Activated Monocytes via a Novel, Tubulin-dependent Pathway," J. Biol. Chem. 272:9496-9502 |
| | 124 | Rauvala and Pihlaskari (1987) "Isolation and Some Characteristics of an Adhesive Factor of Brain That Enhances Neurite Outgrowth in Central Neurons," J. Biol. Chem. 262:16625-16635 |
| | 125 | Rauvala <i>et al.</i> (2000) "Heparin-binding proteins HB-GAM (pleiotrophin) and amphoterin in the regulation of cell motility," Matrix Biol. 19:377-387 |
| | 126 | Raynal and Pollard (1994) "Annexins: the problem of assessing the biological role for a gene family of multifunctional calcium- and phospholipids-binding proteins," Biochem. Biophys. Acta 1197:63-93 |
| | 127 | Rety <i>et al.</i> (2000) "Structural basis of the Ca ²⁺ -dependent association between S100C (S100A11) and its target, the N-terminal part of annexin I," Structure 8:175 |
| | 128 | Riechmann <i>et al.</i> (1988) "Reshaping human antibodies for therapy," Nature 332:323 |
| | 129 | Robinson and Hogg (2000) "A Comparison of Human S100A12 with MRP-14 (S100A9)," Biochem. Biophys. Res. Commun. 275:865-870 |
| | 130 | Roth <i>et al.</i> (1993) "MRP8 and MRP14, S-100-Like Proteins Associated with Myeloid Differentiation, are Translocated to Plasma Membrane and Intermediate Filaments in a Calcium-Dependent Manner," Blood 82:1875-1883 |
| | 131 | Roth <i>et al.</i> Immunobiol. (1992) "Complex Pattern of the Myelo-Monocytic Differentiation Antigens MRP8 and MRP14 during Chronic Airway Inflammation," 186:304-314 |
| | 132 | Rothenberg <i>et al.</i> (1993) "Biotinylated diaminopyridine: An approach to tagging oligosaccharides and exploring their biology," Proc. Natl. Acad. Sci. USA 90:11939-11943 |
| | 133 | Rouhiainen <i>et al.</i> (2000) "Occurrence of Amphoterin (HMG1) as an Endogenous Protein of Human Platelets that is Exported to the Cell Surface upon Platelet Activation," Thrombosis Haemostasis 84:1087-1094 |
| | 134 | Rutishauser (1996) "Polysialic acid and the regulation of cell interactions," Curr. Opin. Cell Biol. 8:679-684 |
| | 135 | Sacchettini <i>et al.</i> (2001) "Multivalent Protein-Carbohydrate Interactions. A New Paradigm for Supermolecular Assembly and Signal Transduction," Biochem. 40:3009-3015 |
| | 136 | Salmivirta <i>et al.</i> (1992) "Neurite Growth-Promoting Protein (Amphoterin, p30) Binds Syndecan," Exp. Cell Res. 200:444-451 |
| | 137 | Sandhu (1992) "Protein Engineering of Antibodies," Crit. Rev. Biotech. 12:437-62 |
| | 138 | Sandmaier <i>et al.</i> (2002) "Bismuth 213-labeled anti-CD45 radioimmunoconjugate to condition dogs for nonmyeloablative allogeneic marrow grafts," Blood 100:318-326 |
| | 139 | Schafer <i>et al.</i> (1996) "The S100 family of EF-hand calcium-binding proteins: functions and pathology," Trends Biochem. Sci. 21:134 |
| /S.M./ | 140 | Schmidt <i>et al.</i> (2000) "The biology of the receptor for advanced glycation end products and its ligands," Biochim. Biophys. Acta 1498:99-111 |

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./

| | | | |
|--|---|--------------------|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) | APR 14 2008 U.S. Department of Commerce Patent and Trademark Office | 10500480 GAU: 1651 | Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 Applicant: Freeze <i>et al.</i> Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) (37 CFR § 1.98(b)) | | | |

| | | |
|--------|-----|---|
| /S.M./ | 141 | Schmidt <i>et al.</i> (2000) "RAGE: A Multiligand Receptor Contributing to the Cellular Response in Diabetic Vasculopathy and Inflammation," Sem. Thrombosis Hemostasis 26:485-493 |
| | 142 | Schmidt <i>et al.</i> (2000a) "RAGE: A New Target for the Prevention and Treatment of the Vascular and Inflammatory Complications of Diabetes," Trends Endocrinol. Metab. 11:368-375 |
| | 143 | Siegenthaler <i>et al.</i> (1997) "A Heterocomplex Formed by the Calcium-binding Proteins MRP8 (S100A8) and MRP14 (S100A9) Binds Unsaturated Fatty Acids with High Affinity," J. Biol. Chem. 272:9371 |
| | 144 | Sieving <i>et al.</i> (1990) "Preparation and Characterization of Paramagnetic Polychelates and Their Protein Conjugates," Bioconjugate Chem. 1:65-71 |
| | 145 | Singer <i>et al.</i> (1993) "Optimal Humanization of 1B4, an Anti-CD18 Murine Monoclonal Antibody, is Achieved by Correct Choice of Human V-Region Framework Sequences," J. Immun. 150:2844 |
| | 146 | Sirlin <i>et al.</i> (1999) "Effect of Acquisition Rate on Liver and Portal Vein Enhancement with Microbubble Contrast," Ultrasound Med. Biol. 25:331-338 |
| | 147 | Solito <i>et al.</i> (2000) "Annexin I Binds to U937 Monocytic Cells and Inhibits Their Adhesion to Microvascular Endothelium: Involvement of the $\alpha_5\beta_1$ Integrin," J. Immunol. 165:1573 |
| | 148 | Springer (1995) "Traffic Signals on Endothelium for Lymphocyte Recirculation and Leukocyte Emigration," Ann. Rev. Physiol. 57:827-872 |
| | 149 | Srikrishna <i>et al.</i> (1997) "An IgG Monoclonal Antibody against Dictyostelium discoideum Glycoproteins Specifically Recognizes Fucal,6GlcNAc β in the Core of N-Linked Glycans," J. Biol. Chem. 272:25743 |
| | 150 | Srikrishna <i>et al.</i> (2001) "A Novel Anionic Modification of N-Glycans on Mammalian Endothelial Cells is Recognized by Activated Neutrophils and Modulates Acute Inflammatory Responses," J. Immunol. 166:624 |
| | 151 | Staros (1982) "N-Hydroxysulfosuccinimide Active Esters: Bis(N-hydroxysulfosuccinimide) Esters of Two Dicarboxylic Acids are Hydrophilic, Membrane-Impermeant, Protein Cross-Linkers," Biochem. 21:3590 |
| | 152 | Stein <i>et al.</i> (1989) "The Immune Response to an Isomalthohexosyl-Protein Conjugate, a Thymus-Dependent Analogue of $\alpha(1\rightarrow6)$ Dextran," J. Immunol. 128:1350-1354 |
| | 153 | Strupat <i>et al.</i> (2000) "Calcium-Induced Noncovalently Linked Tetramers of MRP8 and MRP14 are Confirmed by Electrospray Ionization-Mass Analysis," J. Am. Soc. Mass. Spectrom. 11:780 |
| | 154 | Taguchi <i>et al.</i> (2000) "Blockage of RAGE-amphoterin signaling suppresses tumour growth and metastases," Nature 405:354-360 |
| | 155 | Taylor <i>et al.</i> (1994) "Human immunoglobulin transgenes undergo rearrangement, somatic mutation and class switching in mice that lack endogenous IgM," Int. Immun. 6:579-591 |
| | 156 | Teigelkamp <i>et al.</i> (1991) "Calcium-dependent Complex Assembly of the Myeloid Differentiation Proteins MRP-8 and MRP-14," J. Biol. Chem. 266:13462 |
| | 157 | Toomre and Varki (1994) "Advances in the use of biotinylated diaminopyridine (BAP) as a versatile fluorescent tag for oligosaccharides," Glycobiol. 4:653-663 |
| | 158 | van den Bos <i>et al.</i> (1998) "Copurification of P6, MRP8, and MRP14 from Human Granulocytes and Separation of Individual Proteins," Prot. Expr. Purif. 13:313 |
| | 159 | van Heyningen <i>et al.</i> (1985) "Tissue localization and chromosomal assignment of a serum protein that tracks the cystic fibrosis gene," Nature 315:513-515 |
| | 160 | Varki (1994) "Selectin ligands," Proc. Natl. Acad. Sci. USA 91:7390-7397 |
| | 161 | Vera <i>et al.</i> (2002) "A Molecular CT Blood Pool Contrast Agent," Acad. Radiol. 9:784-792 |
| | 162 | Verhoeyen <i>et al.</i> (1988) "Reshaping Human Antibodies: Grafting an Antilysozyme Activity," Science 239:1534 |
| | 163 | Visser <i>et al.</i> (1993) "Labeling of Monoclonal Antibodies with Rhenium-186 Using the MAG3 Chelate for Radioimmunotherapy of Cancer: A Technical Protocol," J. Nucl. Med. 34:1953-1963 |
| | 164 | Wakelin <i>et al.</i> (1996) "An Anti-Platelet-Endothelial Cell Adhesion Molecule-1 Antibody Inhibits Leukocyte Extravasation from Mesenteric Microvessels In Vivo by Clocking the Passage through the Basement Membrane," J. Exp. Med. 184:229 |
| ↓ | 165 | Walther <i>et al.</i> (2000) "A Novel Ligand of the Formyl Peptide Receptor: Annexin I Regulates Neutrophil Extravasation by Interacting with the FPR," Mol. Cell. 5:831-840 |
| /S.M./ | 166 | Wang and Cruetz (1994) "Role of the Amino-Terminal Domain in Regulating Interactions of Annexin I with Membranes: Effects of Amino-Terminal Truncation and Mutagenesis of the Phosphorylation Sites," Biochem. 33:275 |

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./

| | | |
|--|--|--|
| Receipt date: 04/14/2008 FORM PTO-1449 (Modified) APR 14 2008 INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) 37 CFR § 1.98(b) | U.S. Department of Commerce Patent and Trademark Office | 10500480 GAU: 1651 Attorney Docket No.: BURNHAM-08831 Serial No.: 10/500,480 Applicant: Freeze <i>et al.</i> Filing or 371(c) Date: 12/13/04 Group Art Unit: 1651 |
|--|--|--|

| | | |
|--------|-----|--|
| /S.M./ | 167 | Wang <i>et al.</i> (1999) "HMG-1 as a Late Mediator of Endotoxin Lethality in Mice," Science 285:248-251 |
| | 168 | Yan <i>et al.</i> (2000) "Receptor-dependent cell stress and amyloid accumulation in systemic amyloidosis," Nat. Med. 6:643-651 |
| | 169 | Yokoyama <i>et al.</i> (1982) "Deferoxamine, A Promising Bifunctional Chelating Agent for Labeling Proteins with Gallium: Ga-67 DF-HSA: Concise Communication," J. Nucl. Med. 23:909-914 |
| | 170 | York <i>et al.</i> (1996) "The structures of arabinoxyloglucans produced by solanaceous plants," Carb. Res. 285:99-128 |
| | 171 | Zwadlo <i>et al.</i> (1988) "Two calcium-binding proteins associated with specific stages of myeloid cell differentiation are expressed by subsets of macrophages in inflammatory tissues," Clin. Exp. Immunol. 72:510-515 |
| | 172 | Schmidt <i>et al.</i> (2000) Biochimica et Biophysica Acta 1498:99-111 |
| | 173 | Zips <i>et al.</i> (2005) In Vivo 19:1-8 |
| | 174 | Toomre and Varki (1994) "Advances in the use of biotinylated diaminopyridine (BAP) as a versatile fluorescent tag for oligosaccharides," Glycobiol. 4:653-663 |
| | 175 | Rothenberg <i>et al.</i> (1993) "Biotinylated diaminopyridine: An approach to tagging oligosaccharides and exploring their biology," Proc. Natl. Acad. Sci. USA 90:11939-11943 |
| ↓ | 176 | Schmidt <i>et al.</i> (2001) "The multiligand receptor RAGE as a progression factor amplifying immune and inflammatory responses," J. Clin. Invest. 108:949 |
| /S.M./ | 177 | Srikrishna <i>et al.</i> (2001) "Two Proteins Modulating Transendothelial Migration of Leukocytes Recognize Novel Carboxylated Glycans on Endothelial Cells," J. Immunol. 166:4678 |

| | |
|---|-----------------------------|
| Examiner: /Sheridan Macauley/ | Date Considered: 04/27/2009 |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M./